



Certificate of Analysis

Customer Information

Wildcraft Herb Company
 wildcraftherbcompany@proton.me
 PO Box 714
 Epping, NH 03857

Testing Facility

Cora Science, LLC
 8000 Anderson Square, STE 113
 Austin, Texas 78757
 info@corascience.com
 (512) 856-5007

Contact:

Sample Image(s)



Sample Information

Name: KTM (Green)
 Lot Number: C-002 (Cargo Line)
 Description: Finely ground plant material
 Condition: Good
 Job ID: ISO06850
 Sample ID: I19121
 Received: 16APR2026
 Completed: 22APR2026
 Issued: 24JUN2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 21APR2026 | 2219

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine		1.66	w/w%	0.0052	N/A
7-Hydroxymitragynine		0.00589	w/w%	0.00069	N/A
Paynantheine		0.325	w/w%	0.0052	N/A
Speciogynine		0.247	w/w%	0.0052	N/A
Speciociliatine		0.422	w/w%	0.0052	N/A
Total Mitragyna Alkaloids		2.66	w/w%	0.0052	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 20APR2026 | 1403

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.157	ug/	0.006	PASS
Cadmium	NMT 0.50	0.010	g	0.002	PASS
Mercury	NMT 0.20	0.016	ug/	0.002	PASS
Lead	NMT 5.00	0.327	g	0.002	PASS

Microbial Examination

Method Code: T005

Tested: 22APR2026 | 1330

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	340	g CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

N/A

Revision History

Report ID: 7bc94df9-3525-429b-91fb-4fe6d148cf4e

rev 00 - Initial release.

rev 01 - Updated sample name and lot number per client request.


Abbreviations

ID: identification, N/A: not applicable, LOQ: limit of quantitation, CFU: colony forming units, w/w%: weight by weight percent, mg: milligrams, g: grams, ug: micrograms, mL: milliliters, ND: not detected, <LOQ: below limit of quantitation, NMT: no more than, NLT: no less than, UHPLC: ultra-high performance liquid chromatography, GC: gas chromatography, DAD: diode array detection/detector, MS: mass spectroscopy/spectrometer, ICP: inductively coupled plasma, ISO: International Organization for Standardization, USP: United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:


Management

Name:

Tyler West

Date:

24JUN2026





Certificate of Analysis

Customer Information

Wildcraft Herb Company
 wildcraftherbcompany@proton.me
 PO Box 714
 Epping, NH 03857

Testing Facility

Cora Science, LLC
 8000 Anderson Square, STE 113
 Austin, Texas 78757
 info@corascience.com
 (512) 856-5007

Contact:

Sample Image(s)



Sample Information

Name: KTM (White)
 Lot Number: C-002 (Cargo Line)
 Description: Finely ground plant material
 Condition: Good
 Job ID: ISO06850
 Sample ID: I19120
 Received: 16APR2026
 Completed: 22APR2026
 Issued: 24JUN2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 21APR2026 | 2152

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.43	w/w%	0.0057	N/A
7-Hydroxymitragynine	Report Results	0.00425	w/w%	0.00076	N/A
Paynantheine	Report Results	0.282	w/w%	0.0057	N/A
Speciogynine	Report Results	0.200	w/w%	0.0057	N/A
Speciociliatine	Report Results	0.380	w/w%	0.0057	N/A
Total Mitragyna Alkaloids	Report Results	2.29	w/w%	0.0057	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 20APR2026 | 1358

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.472	ug/	0.006	PASS
Cadmium	NMT 0.50	0.023	g	0.002	PASS
Mercury	NMT 0.20	0.035	ug/	0.002	PASS
Lead	NMT 5.00	0.542	g	0.002	PASS

Microbial Examination

Method Code: T005

Tested: 22APR2026 | 1330

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	630	g CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	100	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

N/A

Revision History

Report ID: 8e3374ff-2d24-4b9c-bcef-0b8258ad2a17

rev 00 - Initial release.

rev 01 - Updated sample name and lot number per client request.


Abbreviations

ID: identification, N/A: not applicable, LOQ: limit of quantitation, CFU: colony forming units, w/w%: weight by weight percent, mg: milligrams, g: grams, ug: micrograms, mL: milliliters, ND: not detected, <LOQ: below limit of quantitation, NMT: no more than, NLT: no less than, UHPLC: ultra-high performance liquid chromatography, GC: gas chromatography, DAD: diode array detection/detector, MS: mass spectroscopy/spectrometer, ICP: inductively coupled plasma, ISO: International Organization for Standardization, USP: United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:


Management

Name:

Tyler West

Date:

24JUN2026





Certificate of Analysis

Customer Information

Wildcraft Herb Company
 wildcrafterbcompany@proton.me
 PO Box 714
 Epping, NH 03857

Testing Facility

Cora Science, LLC
 8000 Anderson Square, STE 113
 Austin, Texas 78757
 info@corascience.com
 (512) 856-5007

Contact:

Sample Image(s)



Sample Information

Name: KTM (Red)
 Lot Number: C-002 (Cargo Line)
 Description: Finely ground plant material
 Condition: Good
 Job ID: ISO06850
 Sample ID: I19124
 Received: 16APR2026
 Completed: 17APR2026
 Issued: 24JUN2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 17APR2026 | 1930

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.29	w/w%	0.0055	N/A
7-Hydroxymitragynine	Report Results	0.00374	w/w%	0.00073	N/A
Paynantheine	Report Results	0.260	w/w%	0.0055	N/A
Speciogynine	Report Results	0.184	w/w%	0.0055	N/A
Speciociliatine	Report Results	0.310	w/w%	0.0055	N/A
Total Mitragyna Alkaloids	Report Results	2.05	w/w%	0.0055	N/A

Additional Report Notes

N/A

Revision History

Report ID: 672025b7-b0c6-4e24-8498-6bf476c28f29

rev 00 - Initial release.

rev 01 - Updated sample name and lot number per client request.

Abbreviations

ID: identification, N/A: not applicable, LOQ: limit of quantitation, CFU: colony forming units, w/w%: weight by weight percent, mg: milligrams, g: grams, ug: micrograms, mL: milliliters, ND: not detected, <LOQ: below limit of quantitation, NMT: no more than, NLT: no less than, UHPLC: ultra-high performance liquid chromatography, GC: gas chromatography, DAD: diode array detection/detector, MS: mass spectroscopy/spectrometer, ICP: inductively coupled plasma, ISO: International Organization for Standardization, USP: United States Pharmacopeia

This report, prepared by CoraScience, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

Authorization

This report has been authorized for release from Cora Science by:

Signature:

Tyler West

Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

24JUN2026

